

1/3  
FIG. 1

1

GENERAL PURPOSE CLOTTING SALVE  
WITH POWDERED CUMIN

Powdered Cumin ten-to-twenty-five percent by volume  
Host Substance fifty-to-seventy-five percent by volume  
Antiseptic five-to-twenty-five percent by volume  
Odorant five-to-ten percent by volume

FIG. 2

2

GENERAL PURPOSE CLOTTING SALVE  
WITH CUMIN OIL

Cumin Oil five-to-twenty percent by volume  
Host Substance fifty-to-seventy percent by volume  
Antiseptic five-to-twenty-five percent by volume  
Odorant five-to-ten percent by volume

FIG. 3

3

HIGH CLOTTING SALVE  
WITH POWDERED CUMIN

Powdered Cumin twenty-to-forty percent by volume  
Host Substance forty-to-sixty percent by volume  
Antiseptic zero-to-ten percent by volume  
Odorant five-to-ten percent by volume

FIG. 4

4

HIGH CLOTTING SALVE  
WITH CUMIN OIL

Cumin Oil ten-to-twenty-five percent  
Host Substance forty-to-sixty percent  
Antiseptic zero-to-ten percent  
Odorant five-to-ten percent by volume

2/3

+

FIG. 5

5

INFECTION SPECIFIC CLOTTING SALVE  
WITH POWDERED CUMIN

Powdered Cumin ten-to-twenty-five percent by volume  
Host Substance twenty-to-forty percent by volume  
Antiseptic ten-to-fifty percent by volume  
Odorant five-to-ten percent by volume

6

FIG. 6

INFECTION SPECIFIC CLOTTING SALVE  
WITH CUMIN OIL

Cumin Oil five-to-twenty-five percent by volume  
Host Substance twenty-to-forty percent by volume  
Antiseptic ten-to-fifty percent by volume  
Odorant five-to-ten percent by volume

FIG. 7




FIG. 8




FIG. 9

